


HELUTOP® MS-EP4

EMC cable gland



TECHNICAL DATA

EMC cable gland acc. to EN 62444 with integrated contact system.

Protection class:	IP 68 - 5 bar, 30 min
Temperature range:	-20°C to +100°C
Contact system:	Patented
Dimensions:	G Thread size
	GL Thread length
	SW Spanner size

MATERIAL

- Brass, nickel plated
- Contact system: copper beryllium
- Clamp: polyamide PA 6
- Seal: chloroprene rubber (CR)
- O-ring: NBR

PROPERTIES

- Easy installation
- Secure contact
- High vibration resistance

APPLICATION

- Plant and machine construction
- Robot construction
- Automation technology
- Vehicle construction and shipbuilding
- Rail technology
- Installation technology
- Control cabinet construction

NOTE

- Brass surcharge will be charged for these items.

metric thread

Part no.	Size Metr.	Cable Ø from / to mm	Thread length mm	Spanner size mm	Unit pcs.
905181	M 12 x 1.5	3.0 - 6.5	6.0	14	50
905182	M 16 x 1.5	5.0 - 10.0	6.0	20	50
905183*	M 20 x 1.5	6.0 - 12.0	6.0	22	50
905184	M 20 x 1.5	7.5 - 14.0	8.0	24/26	50
905185	M 25 x 1.5	10.0 - 18.0	8.0	30	25
905186	M 32 x 1.5	16.0 - 25.0	9.0	40	10
905187	M 40 x 1.5	22.0 - 32.0	9.0	50	5
905188	M 50 x 1.5	30.0 - 38.0	9.0	58	5
905189	M 63 x 1.5	34.0 - 44.0	14.0	64/68	5
905248*	M 63 x 1.5	37.0 - 53.0	10.0	75	5

* no CSA at 905183 and 905248.



Now Available!

Our HELUTOP® MS-EP5 is now available. Download the information sheet now!